| | Application No. | Applicant(s) |
|---|--|---|
| Notice of Allowability | 10/705,728 | HIATT ET AL. |
| | Examiner | Art Unit |
| | Alexander I Koopweki | 2425 |
| | Alexander J. Kosowski | 2125 |
| The MAILING DATE of this communication apper All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313 | (OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject to | plication. If not included not will be mailed in due course. THIS |
| 1. ☑ This communication is responsive to the after final amendment filed 11/13/06. | | |
| 2. The allowed claim(s) is/are 1.4-24 and 26-60. | · | |
| 3. Acknowledgment is made of a claim for foreign priority unal. a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have | been received. | |
| 3. Copies of the certified copies of the priority documents have been received in this national stage application from the | | |
| International Bureau (PCT Rule 17.2(a)). | | |
| * Certified copies not received: | | |
| Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. | | |
| 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. | | |
| 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. | | |
| (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached | | |
| 1) hereto or 2) to Paper No./Mail Date | | |
| (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date | s Amendment / Comment or in the C | Office action of |
| Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the | | |
| 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. | | |
| | | |
| Attachment(s) | _ | |
| 1. Notice of References Cited (PTO-892) | 5. Notice of Informal F | • • |
| 2. Notice of Draftperson's Patent Drawing Review (PTO-948) | 6. Interview Summary | |
| 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date | Paper No./Mail Da 7. ☐ Examiner's Amendr | ment/Comment |
| 4. Examiner's Comment Regarding Requirement for Deposit | 8. 🛛 Examiner's Stateme | ent of Reasons for Allowance |
| of Biological Material | 9. | |
| | • | |
| | • | |
| | | |

Application/Control Number: 10/705,728

Art Unit: 2125

DETAILED ACTION

1) Claims 1, 4-24, and 26-33, as amended 11/13/06 in an after-final amendment, and new claims 34-60 are presented for examination.

Allowable Subject Matter

2) Claims 1, 4-24 and 26-60 are allowed.

The following is a statement of reasons for the indication of allowable subject matter:

Referring to claims 1, 22, 34, 46, 53 and 60, neither Jensen (USPGPUB 2001/0032111), Zhang (U.S. Pat 6,158,346), Sanders, Jr (U.S. Pat 5,506,607), nor Tischler (U.S. PGPUB 2003/0114016), together or in combination with the prior art of record, explicitly teach a programmed material consolidation method comprising disposing a retention lip extending laterally from a raised element over at least a portion of a periphery of a major surface of a substrate, disposing an extension element on an upper surface of a raised element, dispensing unconsolidated material without introducing unconsolidated material onto structures that protrude from the substrate, creating a circulating air flow beneath the bottom surface of the substrate, introducing unconsolidated material including substantially filling the receptacle with unconsolidated material, nor removing excess unconsolidated material from the receptacle following the programmably consolidating, in combination with the remaining elements or features of the claimed invention.

Referring to all other claims, the claims are dependent on allowable independent claims, and are therefore allowable.

Conclusion

Page 3

Application/Control Number: 10/705,728

Art Unit: 2125

3) Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alexander J Kosowski whose telephone number is 571-272-3744. The examiner can normally be reached on Monday through Friday, alternating Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Leo Picard can be reached on 571-272-3749. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. In addition, the examiner's RightFAX number is 571-273-3744.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 571-272-2100.

Alexander J. Kosowski Primary Examiner Art Unit 2125